

SAFETY SUPPLIES

Safeguarding in the Workplace with 3M™





SAFETY SUPPLIES

Table of Contents

| earing Protection | 3 |
|-------------------|----|
| ye Protection | 8 |
| all Protection | 12 |
| espirators | 19 |





Hearing Protection

3M[™] Peltor[™] X4A Over-the-Head Earmuffs

- Wire headband offers consistent pressure over prolonged wearing periods
- Earcup pivot points tilt for optimum comfort and efficiency
- Replaceable ear cushions and foam liners



| Description | SA# |
|---|-----|
| Ear Muff, 3M Peltor X-Series, NRR 27 dB | X4A |

3M™ Peltor™ X1A Over-the-Head Earmuffs

- Wire headband offers consistent pressure over prolonged wearing periods
- Earcup pivot points tilt for optimum comfort and efficiency
- Replaceable ear cushions and foam liners



| Description | SA# |
|--------------------------------|-----|
| Earmuffs, 22 Db, Over The Head | X1A |

3M[™] Peltor[™] Optime 105 Earmuffs

- For noise levels up to 105 dBA
- Proprietary 3MTM Twin-CupTM design has soft, foam-filled earmuffs for enhanced hearing protection
- Stainless steel headband distributes weight for low-pressure fit



| Description | SA# |
|--|--------|
| 3M [™] Peltor [™] Optime 105 Over-the-Head Earmuffs | H10A |
| 3M [™] Peltor [™] Optime 105 Cap-Mount Earmuffs | H10P3E |
| 3M [™] Peltor [™] Optime 105 Behind-the-Head Farmuffs | H10B |

3M[™] Peltor[™] Optime 101 Earmuffs

- For noise levels up to 101 dBA
- Stainless steel headband provides consistent force
- Liquid/foam filled ear cushions for comfortable long-term wear



| Description | SA# |
|--|-------|
| 3M [™] Peltor [™] Optime 101 Over-the-Head Earmuffs | Н7А |
| 3M [™] Peltor [™] Optime 101 Cap-Mount Earmuffs | H7P3E |
| 3M [™] Peltor [™] Optime 101 Behind-the-Head Earmuffs | H7B |

3M[™] Peltor[™] Optime 98 Earmuffs

- For noise levels up to 98 dBA
- Liquid/foam-filled ear cushions for comfortable longterm wear
- Available in universal capmount attachment or stainless steel over-the head style



| Description | SA# |
|---|-------|
| 3M [™] Peltor [™] Optime 98 Over-the-Head Earmuffs | Н9А |
| 3M [™] Peltor [™] Optime 98 Cap-Mount Earmuffs | Н9Р3Е |

3M™ Peltor™ Optime 95 Earmuffs

- For noise levels up to 95 dBA
- Cap-mounted or multi-position behind-the-head style
- Stainless steel construction resists bending and warping





| Description | SA# |
|---|---------|
| 3M [™] Peltor [™] Optime 95 Cap-Mount Earmuffs | H6P3E/V |
| 3M [™] Peltor [™] Optime 95 Behind-the-Head Earmuffs | H6B/V |
| | |





Hearing Protection

3M[™] 1100 **Foam Earplugs**

- One size fits most
- Dielectric design suitable for all workplaces
- · Bright orange for compliance sighting



| Description | SA# |
|---|-------------|
| Foam Corded Earplugs, 200PR/CTN, 5CTN/CV | 7100099848 |
| Foam Uncorded Earplugs, | 393-2010-50 |

3M™ E-A-R™ **Classic Earplugs**

- Sweat and moistureresistant for use in humid environments
- · One size fits most
- · Cylindrical shape creates a snug seal for noise reduction
- Noise Reduction Rating (NRR)*: 29 dB, CSA Class AL



| Description | SA# |
|--|----------|
| 3M [™] E-A-R [™] Classic Earplugs - Pillow Pack | 310-1001 |
| 3M [™] E-A-R [™] Classic Uncorded Earplugs | 312-1201 |

3M™ E-A-Rsoft Yellow Neon **Uncorded Earplugs**

- · Regular size fits most ear canals
- Soft, pliable foam offers comfortable extended wear
- Test compatible with 3M™ E-A-Rfit™ Validation System
- Noise Reduction Rating (NRR)* 33 dB, CSA Class AL



| - | |
|---|-----|
| 3M™ E-A-Rsoft Yellow Neon 312-12 Uncorded Earplugs | 250 |

3M™ E-A-Rsoft FX **Uncorded Earplugs**

- · Bell shape allows easy fitting and removal
- Soft, pliable foam offers comfortable extended wear
- Test compatible with 3MTM E-A-Rfit Validation System



| Description | SA# |
|---------------------------|----------|
| 3M™ E-A-Rsoft FX Uncorded | 312-1261 |
| Earplugs (Yellow) | |

3M™ E-A-R™ **TaperFit 2 Earplugs**

- · Poly bag keeps earplugs clean and accessible for re-use
- Soft polyurethane foam for a low pressure noise barrier that easily goes into ear canal and stays in place
- Test compatible with 3M E-A-Rfit Validation System



| Description | SA# |
|--|----------|
| 3M [™] E-A-R [™] TaperFit 2 Uncorded Earplugs (Yellow) | 312-1219 |
| 3M [™] E-A-R [™] TaperFit 2 Uncorded Earplugs (Large, Yellow) | 312-1221 |

3M[™] E-A-Rsoft Yellow **Neon Blasts Earplugs**

- · Soft, pliable foam offers comfortable extended wear
- · Regular size fits most ear canals
- · Available in both corded and uncorded



| Description | SA# |
|------------------------------|----------|
| Ear Plugs, Earsoft, Corded | 311-1252 |
| Ear Plugs, Earsoft, Uncorded | 312-1252 |





Hearing Protection

3M[™] E-A-R[™] Classic Corded Earplugs

- Reusable pillow pack keep earplugs clean for re-use
- Sweat and moistureresistant for use in humid environments
- Flame resistant for use in environments with flammability or explosion potential



| Description | SA# |
|--------------------|----------|
| 3M™ E-A-R™ Classic | 311-1101 |
| Corded Familias | |

3M[™] E-A-R[™] UltraFit Corded Earplugs

- Poly bag keeps earplugs clean and accessible for re-use
- Triple-flange provides proven protection without rolling or touching plug during insertion
- Single size fits comfortably in most ear canals

Corded Earplugs (Yellow)

| carraio | |
|---------------------|----------|
| Description | SA# |
| 3M™ E-A-R™ UltraFit | 340-4004 |

3M[™] E-A-R[™] UltraFit Corded Earplugs

- Gives you the best value with savings of up to 20%
- Triple-flange provides proven protection without rolling or touching plug during insertion
- Single size fits comfortably in most ear canals



| Description | SA# |
|--------------------------|----------|
| 3M™ E-A-R™ UltraFit | 340-4014 |
| Corded Earplugs (Yellow) | |

3M[™] E-A-R[™] Push-Ins Earplugs

- Poly bag keeps earplugs clean and accessible for re-use
- Noise Reduction Rating (NRR)*: 28 dB. CAS Class AL
- Foam inserts easily and seals the ear canal for a comfortable fit that lasts



| Description | SA# |
|----------------------------|----------|
| Earplug, Push-In, Uncorded | 318-1002 |
| Earplug, Push-In, Corded | 318-1005 |

E-A-R[™] Express Pod Plugs Corded Earplugs

- Push-to-fit style for hygienic and convenient wear
- Slow recovery foam inserts easily and seals the ear canal
- Reusable pillow pack keeps earplugs clean for re-use



| Description | SA# |
|--------------------------|----------|
| E.A.R. Express Pod Plugs | 321-2100 |

3M[™] No-Touch Foam Corded Plugs

- Push-to-fit style for hygienic and convenient wear
- Soft foam is fused with the LiveWire stem for easy insertion
- Foam tips stay clean, even when your hands are dirty



| Description | SA# |
|-----------------------------|----------|
| No Touch Foam Ear Plug Cord | 31410143 |





Hearing Protection

3M[™] E-A-R[™] Push-Ins with Grip Rings Uncorded Earplugs

- Poly bag keeps earplugs clean and accessible for re-use
- Tapered foam inserts easily and seals the ear canal for a comfortable fit that lasts
- Blue stem makes insertion and removal cleaner and easier



| Description | SA# |
|-------------------|----------|
| Push In Ear Plugs | 318-1008 |

3M[™] E-A-R[™] Skull Screws[™] Earplugs

- Soft foam tips with mock-metal finish provide a cutting-edge look that is comfortable for extended wear
- Push-to-fit style for hygienic and convenient wear
- Foam tips stay clean, even when your hands are dirty



| Description | SA# |
|---|-------|
| 3M [™] E-A-R [™] Skull Screws Uncorded Earplugs (Grey) | P1300 |
| 3M [™] E-A-R [™] Skull Screws Corded Earplugs (Grey) | P1301 |

E-A-Rsoft Metal Detectable Corded Earplugs

- Poly bag keeps earplugs clean and accessible for re-use
- Stainless steel ball bearing in the earplug and metal particles in cord for metal detection systems
- Soft, pliable foam offers comfortable extended wear



| Description | SA# |
|--------------------------|----------|
| Ear Plugs Ear Soft Metal | 311-4106 |

3M™ E-A-R™ UltraFit™ Earplugs, Metal Detectable, Corded

- Gives you the best value—with savings of up to 20%
- Metal-detectable ball bearing for high detectablility.
- Proprietary, premolded, triple-flange earplug design inserts easily.



| Description | SA# |
|--------------------------|----------|
| Ear Plug Ultra Fit Metal | 340-4017 |

Peltor™ EARbud™ Noise Isolating Headphones

- The E-A-R budsTM
 Headphones help protec hearing by reducing the noise exposure while enabling you to listen to your favorite music playe
- Audio limiting technology keeps the sound at or below 82 dB to reduce the risk of overexposure from the audio playback



| Description | SA# |
|-----------------------------------|-------|
| Noise Isolating Headphones Earbud | 2600N |

3M[™] E-A-R[™] Classic One Touch Refill

- Refill container fits 3MTM
 One Touch Dispenser
- Flame resistant for use in environments with flammability or explosion potential
- Sweat and moistureresistant for use in humid environments
- Test compatible with 3M[™] E-A-Rfit Validation System



| Description | SA# |
|-----------------------------|------------|
| Ear Plugs Classic (500/Btl) | 7000001931 |





Hearing Protection

3M™ E-A-Rsoft Yellow Neon **Uncorded One Touch Refill**

- No packaging waste with each pair
- Refill container fits 3M[™] One Touch Dispenser
- Soft, pliable foam offers comfortable extended wear



3M™ E-A-Rsoft Yellow Neon **Blasts One Touch Dispenser Refill**

- · Regular size fits most ear canals
- Refill container fits 3M™ One Touch Dispenser
- Decorative flame graphics



| Description | SA# |
|----------------------------|----------|
| 2MTM F-A-Reoft Vallow Naon | 301-1004 |

™ E-A-Rsoft Yellow Neon Uncorded One Touch Refill

391-1004

Description Neon Blast Ear Plug

391-1010





Eye Protection

3M™ SecureFit™ Protective Eyewear

 Mirror lens suitable for indoor and outdoor use



| Description | SA# |
|---|------------|
| SF201AF SecureFit Eyewear CLR 20 ea/cs | 7100090435 |
| SecureFit Eyewear CLR 20 ea/cs | 7000128310 |

3M[™] Virtua[™] CCS Protective Eyewear

- · Clear anti-fog lens
- Lens is easy to switch, simply snap off the temples and re-attach them to the desired lens
- 3MTM DXTM Anti-Fog Hard Coat protects lens from fog, scratching and several chemicals
- Polycarbonate lens absorbs 99.9% UV



| Description | SA# |
|-------------------------|------------|
| Safety Glasses Clr Lexa | 7000127549 |

3M[™] Virtua[™] CCS Protective Eyewear

- Unique temple design controls and holds the cord of the earplug to keep it securely in place and untangled while in use
- Removable, foam-lined gasket helps limit eye exposure to nuisance dust while providing added comfort and cushioning
- Small vents in the gasket help minimize fogging

| minimize fogging | |
|--|------------|
| Description | SA# |
| 3M [™] Virtua Cord Control System Protective Eyewear, Clear Anti-Fog Lens, Foam Gasket | 7000128259 |
| 3M [™] Virtua Cord Control System Protective Eyewear with Foam Gasket, Gray Anti-Fog Lens | 7000128260 |
| 3M™ Virtua Cord Control System | 7000128261 |

3M™ Virtua™ Sport Protective Eyewear

- Athletic-look styling
- Excellent eye coverage
- Durable, lightweight frame design
- Contoured temples fit comfortably and snugly





| Description | SA# |
|--|------------|
| 3M [™] Virtua [™] Sport Protective Eyewear, Clear Anti-Fog Lens, Clear Temple | 7000042889 |
| 3M [™] Virtua Sport Protective Eyewear, Grey Anti-Fog Lens, Grey Temple | 7100006817 |

3M™Privo Protective Eyewear

Protective Eyewear with Foam Gasket, Indoor-outdoor mir Anti-Fog Lens

- Soft tips and temples, gentle nosebridge and sturdy polycarbonate
 lans.
- Anti-fog coating





| Description | SA# |
|---|-------------|
| 3M [™] Privo Protective Eyewear, Clear Anti-Fog Lens, Black Frame | 70071541265 |
| 3M [™] Privo Protective Eyewear, Grey Anti-Fog Lens, Black/Orange Frame | 7000127536 |
| 3M [™] Privo Protective Eyewear, Indoor/ Outdoor Mirror Lens, Black Frame | 7000127537 |

3M[™] Solus[™] 1000-Series

Scotchgard™ Anti-Fog
 Coating lasts longer than
 traditional anti-fog coatings,
 helping to increase eyewear
 performance in wet and steamy
 environments

 Workers may enjoy reliable, clearer sight longer, because the coating, with its active ingredient, is bonded to the lens



| Description | SA# |
|---|------------|
| 3M [™] Solus Protective Eyewear with Clear Scotchgard [™] Anti-Fog Lens, Black/Blue | 7100079183 |
| | |



Eye Protection

3M[™] Solus[™], 1000-Series Kit

- Scotchgard™ Anti-Fog Coating lasts longer than traditional anti-fog coatings, helping to increase eyewear performance in wet and steamy environments
- · Workers may enjoy reliable, clearer sight



7100079186

| Description | SA# |
|--------------------------|-----|
| the lens | |
| ingredient, is bonded to | |
| coating, with its active | |
| ionger, because the | |

3M™ Solus Protective Eyewear with Clear Scotchgard™ Anti-Fog Lens 1000-Series Kit, Black/Blue

3M™ Solus™. 1000-Series

- Scotchgard™ Anti-Fog Coating lasts longer than traditional anti-fog coatings
- Workers may enjoy reliable, clearer sight longer, because the coating, with its active ingredient, is bonded to the lens



| Description | SA# |
|------------------------------------|------------|
| Solus Protective Eyewear with Grey | 7100019184 |

3M[™] SecureFit[™] Safety Glasses, **Anti-Scratch / Anti-Fog, Clear Lens,**

- Safety glasses with 3MTM Pressure Diffusion Temple Technology for a comfortable fit
- Wraparound design to improve the security of fit and provide slipping
- Get added comfort over the ears with padded temple touchpoints
- · Soft adjustable nosepads for even greater personalisation



| Description | SA# |
|--------------------------------|------------|
| SecureFit Eyewear I/O 20 ea/cs | 7100112436 |
| SecureFit Eyewear GRY 20 ea/cs | SF202AF |

3M™ SecureFit™ **Protective Evewear**

- · Weighs less than an ounce
- Features proprietary 3MTM Pressure Diffusion Temple Technology
- Stylish & lightweight
- · Clear anti-fog lens



| Description | SA# |
|---|---------|
| 3M [™] SecureFit Protective Eyewear, | SF401AF |
| Clear Anti-Fog Lens | |

3M™ Metaliks Sport **Protective Eyewear**

- Metal temples with rubber tips
- · Soft, adjustable nose bridge
- Impact resistant polycarbonate
- Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003



| Description | SA# |
|---|--------|
| 3M™ Metaliks Sport Protective Eyewear, Grey Anti-Fog Lens, Nickel Frame | 113312 |
| 3M™ Metaliks Sport Protective Eyewear, Indoor/Outdoor Mirror Lens, Nickel Frame | 115562 |
| 3M [™] Metaliks Sport Protective Eyewear, Clear Anti-Fog Lens, Nickel Frame | 111253 |

3M™ OX™ 2000 **Protective Evewear**

- · Over-the-glass coverage for prescription eyeglass wearers
- DX[™] anti-fog hard coat
- Clear lens



| Description | SA# |
|---|--------|
| 3MTM OXTM 2000 Protective Eyewear, Clear Anti-Fog Lens, Black Temple | 105603 |





Eye Protection

BX Reader Protective Eyewear

- Polycarbonate lens absorbs 99.9% UV
- Molded-in magnifying dioptres
- Adjustable temple lengths
- Lens angle adjustment



| Description | SA# |
|---|------------|
| 3M™ BX Reader Protective Eyewear, Clear Lens, Silver Frame, +1.5 Dioptre | 7000127490 |
| 3M™ BX Reader Protective Eyewear, Clear Lens, Silver Frame, +2.0 Dioptre | 7000052794 |
| 3M™ BX Protective Evewear, Clear | 7000002041 |

Anti-Fog Lens, Silver/Black Frame


Smart Lens™ Protective Eyewear

- Photochromic lenses darken and lighten as the outdoor light changes
- Spring-adjusted temples allow for a flexible fit on narrow or wide faces
- Strong frame with magnesium alloy temples provides durability



| Description | SA# |
|------------------------------------|------------|
| 3M™ Smart Lens Protective Eyewear, | 7000052827 |
| Photochromatic Lens, Black Frame | |





Source Atlantic

- Saint John, NB
- Moncton, NB
- Halifax, NS
- Dartmouth, NS
- Sydney, NS
- · Charlottetown, PE
- · Mount Pearl, NL
- Winnipeg, MB
- · Saskatoon. SK
- Regina, SK
- Edmonton, AB
- Calgary, AB

Power Transmission

- · Saint John, NB
- Bathurst, NB
- Sussex, NB
- Truro, NB

N.L. Eldridge

- Saint John, NB
- Mount Uniacke, NS

Mobile Valve

- Tracy, NB
- · Mount Uniacke, NS

Hydraulics, Rigging & Rubber

- Saint John, NB
- Dartmouth, NS

Engineered Products & Services

- Saint John, NB
- Truro, NS

Welding Products & Services

- Saint John, NB
- Dartmouth, NS

Better Baths

• Halifax, NS

Soucie Salo Safety

- Timmins, ON
- Sudbury, ON
- Val Caron, ON





Fall Protection

FIRST™ Vest-Style Harness

- Back D-ring
- Pass-thru buckle or tongue buckle leg straps
- Pass-thru chest strap buckle
- Durable polyester web construction



| FIRST™ | Vest-Style |
|--------|-------------------|
| Harnes | S |

- Back D-ring
- Pass-thru buckle leg straps
- Parachute torso adjusters
- Durable polyester web construction



| FIRST™ Roofers | Kit |
|----------------|-----|
| 50ft CSA | |

- Full Body 5-Point Adjustable Harness
- Rope Grab with 24" Shock Absorber
- Reusable Hinged Roof Anchor
- 50 ft. Lifeline
- Plastic Pail



| Description | SA# |
|---|----------|
| FIRST™ Vest-Style Harness Pass-thru buckle | AB17510C |
| FIRST TM Vest-Style Harness Tongue buckle | AB17550C |

| Description | SA# |
|---------------------------|----------|
| FIRST™ Vest-Style Harness | AB175300 |

| Description | SA# |
|----------------------------|---------|
| Roofers Kit First 50ft CSA | 2199910 |

PRO™ Vest-Style Harness

- Back D-ring
- Pass-thru buckle leg straps
- Parachute torso adjusters
- Durable polyester web construction



| Description | SA# |
|-------------------------|----------|
| PRO™ Vest-Style Harness | 1191201C |

PRO™ Vest-Style Harness

- · Back D-ring
- Tongue buckle leg straps
- Parachute torso adjusters
- Durable polyester web construction



| Description | SA# |
|----------------------------------|----------|
| Harness, Protecta, Full Body, 1D | 1191237C |

PRO[™] Vest-Style Harness -Comfort Padding

- Shoulder, back and leg comfort padding
- Back D-ring
- Quick connect buckle leg and chest straps
- · Parachute torso adjusters



| Description | SA# |
|------------------------------------|----------|
| Harness.Full Body.1D w/Padding M/L | 1191253C |





Fall Protection

PRO™ Vest-Style Retrieval Harness

- Back D-ring
- Shoulder D-rings
- Tongue buckle leg straps
- Parachute torso adjusters



| Description | SA# |
|------------------------------|----------|
| Harness, Retrieval Pro™ Vest | 1191241C |

DBI-SALA® Suspension Trauma Safety Straps

- Suspension trauma safety strap
- Allows user to stand in harness after a fall
- Attaches to almost any harness
- Fast and easy installation



| Description | SA# |
|-------------|-----|
| | |

DBI-SALA® Suspension Trauma 9501403C Safety Straps

Delta™ Vest-Style Harness

- No-tangle design
- Stand-up back D-ring
- Tonque buckle leg straps
- RepelTM webbing



| Description | SA# |
|---------------------------------------|----------|
| Delta [™] Vest-Style Harness | 1102000C |

Delta™ Vest-Style Retrieval Harness

- No-tangle design
- Stand-up back D-ring
- Shoulder D-rings



| Description | 5A# |
|---------------------------|----------|
| Harness Vest Style Rescue | 1101254C |

Cable Dual-Ring Tie-Off Adaptor

- 6 ft. (1.8m) cable tie-off adaptor
- Durable 1/4"" (6.3mm) 7x19 galvanized steel cable
- Unique dual-ring design is easily repositioned
- Two high strength steel D-rings at one end



| Description | SA# |
|---------------------------|----------|
| Tie Off Adapter, Cab 6 ft | 2190102C |

Cobra™ Mobile/Manual Rope Grab

- Mobile design automatically follows user
- Manual option allows user to fix in place
- Cam locking system for safety
- Detachable anywhere along the lifeline



| Description | SA# |
|---------------------|--------|
| Grab.Rope.Class Adp | AC202C |





Fall Protection

Medium Offset D Fall Arrest Carabiner with Captive Eye

- 20mm gate opening steel carabiner
- Self closing double action autolok gate for added safety
- Highly corrosion resistant steel hardware
- High strength steel construction



Protecta PRO™ Pack Rope Shock Absorber, Grey

• 18.5 in (47cm) shock absorber only with snap hook at one end and D-ring at the other.



| Shock Absorbing | Lanyard |
|--------------------------|---------|
| • 6 ft (1 8m) double-lea | |

PRO™ Pack 100% Tie-Off

- 100% tie-off lanyard
- Lightweight user friendly design
- PVC shock pack with protected label
- Abrasion resistant polyester webbing



| Description | SA# |
|-------------------------------|---------|
| Carabiner, With 3/4in Opening | 2000117 |

| Description | SA# |
|----------------------------------|----------|
| 3M PROTECTA PRO™ Pack Rope Shock | 1340260C |
| Absorber, Grev | |

| Description | SA# |
|------------------------------|----------|
| PRO™ Pack 100% Tie-Off Shock | 1340180C |
| Absorbing Lanyard | |

PRO[™] Pack Shock Absorbing Lanyard - E4

- 6 ft. (1.8m) single-leg lanyard
- Lightweight user friendly design
- PVC shock pack with protected label

Description

- E4

Abrasion resistant polyester webbing

PRO™ Pack Shock Absorbing Lanyard



1340125C

PRO™ Pack Shock Absorbing Lanyard - E4

- Web single-leg with snap hooks at each end
- Lightweight user friendly design
- PVC shock pack with protected label
- Abrasion resistant polyester webbing



| Description | SA# |
|---|----------|
| 4 ft (1.2m) web single-leg with snap hooks at each end; 1 ea/cs | 1341004C |
| PRO™ Pack Shock Absorbing Lanyard - E4 | 1341001C |
| 6 ft (1.8m) web single-leg with snap hooks at each end; 1 ea/cs | 1385101C |

PRO-Stop™ Shock Absorbing Lanyard

- 6 ft. (1.8m) single-leg lanyard
- Abrasion resistant tubular polyester webbing
- Compact and integral energy absorber
- Energy absorbing design limits fall arrest forces



| Description | SA# |
|-------------------------------|----------|
| Lanyard ProStop Y 100perc Red | 1340250C |





Fall Protection

Protecta Web Position Lanyard With Snap Hooks

 Web positioning lanyard available in both standard and rebar snaps



| Description | SA# |
|---------------------------------------|-------------|
| 4ft Web; Position Lanyard; Rebar Snap | AL305CPWL-4 |
| 6ft Web; Position Lanyard; Rebar Snap | AL305CPWL-6 |
| 8ft Web; Position Lanyard; Rebar Snap | AL305CPWL-8 |
| 4ft Web Positioning Lanyard; | 1385103C |
| Standard Snaps | |

6ft Yellow Snap Hook 675 lb WLL Shock Absorbing Lanyard

 ProStop Integrated Single Leg S/A lanyard Impact Indicator snap hooks



| Description | SA# |
|----------------------------------|----------|
| Lanyard,6ft Shock Absorb,Prostop | AE560C-6 |

Pole Climber's Adjustable Rope Positioning Lanyard

- 8 ft. (2.4m) adjustable rope positioning lanyard
- Ideal for work positioning while pole climbing
- Durable kernmantle rope with wear indicator
- Abrasion resistant sleeve



| Description | SA# |
|-------------------------------------|---------|
| Lanyard Adjustable Positioning Rope | 1234071 |

Nano-Lok™ Twin-Leg Quick Connect Self Retracting Lifeline - Web

- Twin-leg 100% tie-off design
- Built-in connector for twinleg SRL direct attachment to harness
- 6 ft. (1.8m) twin-leg lifelines with 3/4" (19mm) Dyneema® fiber and polyester web
- Aluminum self-locking rebar hook on each lifeline

Connect Self Retracting Lifeline - Web

| Description | SA# |
|--------------------------|----------|
| Nano-Lok™ Twin-Leg Quick | 3101198C |

Cynch-Lok™ Fall Restricting Pole Strap for Distribution Poles

- Lightweight pole climbing design
- For distribution pole sizes 5.5" dia./17.5" circ. (14/45cm) minimum, 18.5" dia/58" circ. (47/147cm) maximum.
- Extremely durable pole strap with wear indicator
- One-handed effortless adjustment

| Description | SA# |
|----------------------------------|---------|
| Cynch-Lok™ Fall Restricting Pole | 1204075 |
| Strap for Distribution Poles | |

Nano-Lok™ Self-Retracting Lifeline with Anchor Hook

- Swiveling anchorage loop with carabiner
- 6 ft. (1.8m) 3/4"" (19mm) Dyneema® fiber and polyester web
- Self-locking steel rebar hook on lifeline
- Extremely compact, lightweight design



| Description | SA# |
|--------------------|---------|
| SRL Nano-Lok 6ft 2 | 3101222 |





Fall Protection

Rebel Self-Retracting Lifeline with Snap Hook

- Increases user mobility
- Requires no annual re-certification
- Comes with connecting carabineer and is equipped with standard swivel hook



| Description | SA# |
|---|---------|
| Lifeline Self-Retract Web 3M W/Snap - 3 meter | 3100429 |
| Lifeline Self-Retract Web 3M W/Snap - 10 meter | 3590503 |

Rebel Self-Retracting Lifeline with Swivel Hook

- Swiveling anchorage loop and carabiner
- 20 ft. (6.1m) 1" (2.5cm) polvester web lifeline
- Self-locking swiveling snap hook on lifeline
- Compact, lightweight design
- Tough and impact resistant stackable thermoplastic housing



| Description | SA# |
|------------------------------|---------|
| Srl.Rebel.20ft W/Swivel Hook | AD120BC |

Rope Lifeline with Snap Hook

- 25 ft. rope lifeline
- 5/8" (16 mm) diameter polyester/polypropylene blend
- Built-in self locking snap hook at one end
- Durable, high strength 5-tuck splice



| Description | SA# |
|--------------------------------------|------------|
| Rope Lifeline with Snap Hook 25 ft. | SSR100-25 |
| Rope Lifeline with Snap Hook 50 ft. | SSR100-50 |
| Rope Lifeline with Snap Hook 100 ft. | SSR100-100 |

DBI-SALA® Hook2Hook Coil Tether

- Vinyl-coated braidedsteel coil
- Compact design stays out of the way when not in use
- Self-locking aluminum carabiners



| Description | SA# |
|------------------------------|---------|
| Safety Hook2hook Coil Tether | 1500064 |

DBI-SALA® Hard Hat Coil Tether

- Simple one-handed operation
- Easy to attach to any hard hat
- Compact design
- Simple one-handed operation



| Description | SA# |
|-------------------------------------|---------|
| Hard Hat Coil Tether Python 10 pack | 1500061 |

Python Safe Bucket

- Canvas bucket with hook and loop closure system
- Canvas material
- 100lb capacity



| Description | SA# |
|-------------|---------|
| Safe Bucket | 1500134 |





Fall Protection

DBI-SALA® D-ring Attachment 1" x 3.5"

- Creates instant attachment points
- 25 mm D-Ring attachment
- 5 lb. (2.3 kg) capacity



| Description | SA# |
|---|---------|
| Safety D Ring Attachment 1.0in X 3.50in | 1500008 |

DBI-SALA® Heat Shrink

- Protects 3M[™] DBI-SALA® Quick Wrap Tape
- Apply heat to shrink
- Heat shrink links reduce in size by 200% when heat is applied



| Description | SA# |
|------------------------------------|---------|
| Safety Shrink Link 1.50in X 2.00in | 1500021 |

Python Quick Rings

- Easily attaches to a pre-drilled hole
- Ring pliers can be used to facilitate use



| Description | SA# |
|--------------------------|---------|
| Safety Quick Ring 0.75in | 1500024 |
| Safety Quick Ring 1.00in | 1500025 |
| Safety Quick Ring 1.50in | 1500026 |

Python Adjustable Radio Holster

- Fits virtually any handheld radio or cellular phone
- Includes a coil tether and micro d-ring attachment point



| Description | SA# |
|--------------------------|---------|
| Adjustable Radio Holster | 1500089 |









Respirators

3M[™] Half Facepiece Reusable Respirator

- Reliable, convenient respiratory protection when combined with 3M™ Particulate Filters or Cartridges (such as organic vapour/acid gas cartridges) or dual airline system
- Available in 3 sizes (small, medium, large) to comfortably fit many faces
- Head harness assembly and spare parts available



| Description | SA# |
|---|------|
| 3M [™] Half Facepiece Reusable Respirator, 6100, small | 6100 |
| 3M [™] Half Facepiece Reusable Respirator, 6200, medium | 6200 |
| 3M [™] Half Facepiece Reusable Respirator, 6300, large | 6300 |

3M[™] Full Facepiece Reusable Respirator

- Large lens provides a wide field of view for excellent visibility
- Lightweight well-balanced design and silicone faceseal for enhanced comfort, durability and ease of cleaning
- Available in air-purifying and supplied air respirator modes



| Description | SA# |
|---|------|
| 3M [™] Full Facepiece Reusable Respirator, 6700 | 6700 |
| 3M [™] Full Facepiece Reusable Respirator, 6800, medium | 6800 |
| 3M [™] Full Facepiece Reusable Respirator, 6900, large | 6900 |

3M[™] Half Facepiece Reusable Respirator

- Advance silicone material for increased comfort and greater durability
- Proprietary 3MTM
 CoolFlowTM valve helps
 makes breathing easier
- Dual-mode head harness adjusts easily for either standard or drop-down mode



| Description | SA# |
|---|------|
| 3M [™] Half Facepiece Reusable Respirator, 7501, small | 7501 |
| 3M [™] Half Facepiece Reusable Respirator, 7502, medium | 7502 |
| 3M [™] Half Facepiece Reusable Respirator, 7503, Jarge | 7503 |

3M[™] Ultimate FX Full Facepiece Reusable Respirator

- Scotchgard protection paint and stain resistant lens cause some liquids to bead up so they can be wiped off easily
- Large lens provides a wide field of view for excellent visibility
- Silicone full facepiece design offers comfort, durability and ease of cleaning



| Description | SA# |
|---|-------|
| Respirator Fx Fullface Ultimate, Small | FF401 |
| Respirator Fx Fullface Ultimate, Medium | FF402 |
| Respirator Fx Fullface Ultimate, Large | FF403 |

3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator

- Resilient silicone faceseal provides comfort, durability, and stability with a soft but firm seal
- Quick Latch mechanism makes it easy to drop down the respirator from face without removing head straps
- Low profile half facepiece design offers a wide field of view and compatibility with welding and grinding shields



| Description | SA# |
|--|--------|
| 3M [™] Quick Latch Rugged Comfort Half Facepiece Reusable Respirator, 6502QL (Medium) | 6502QL |
| 3M [™] Quick Latch Rugged Comfort Half Facepiece Reusable Respirator, 6503QL (Large) | 6503QL |

3M[™] Clip-on Welding Shield Kit

- A clip-on welding attachment for the 3M[™] Full Facepiece 7800S.
- This lightweight, easy to use clip-on welding adapter can be used in conjunction with the 3M[™] Full Facepiece 7800S and is approved in all modes of operation as an accessory product.



| Description | SA# |
|----------------------------|------------|
| Clip-On Welding Shield Kit | 7000126524 |





Respirators

Spectacle Kit

 Compatible with the 3MTM Full Facepiece Respirators 6000 Series



| 1 | 1 | 1 | |
|---|---|---|--|
| | | | |
| | | | |

| Description | SA# |
|---------------|------------|
| Spectacle Kit | 7000002031 |

Clear Polycarbonate Faceshield WP98

- Flat stock.
- Designed to help provide face protection to workers in metalworking, utilities. forestry and many other industries.
- · Meets the high impact requirements of ANSI Z87.1-2003.



| Description | SA# |
|-------------|-------------|
| Faceshield | 82543-00000 |

Peltor™ Clear Acetate Faceshield

- · Brimless, lightweight mesh shield
- Provides optimal ventilation and protection from workers from flying debris and particles
- Comprised of tough and durable clear acetate
- Designed for use with 3M[™] Peltor™ Hard Hat Adapter P3EV/2 and the 3M[™] Peltor[™] Cap-Mounted Earmuffs



| Description | SA# |
|--------------------------|-----|
| Visor Clear View Acetate | V2A |

Lens Cover

- 3MTM Cool FlowTM Valve for cooler, drier comfort
- Helps provide comfortable, durable protection for demanding conditions
- Developed to for a variety of industrial applications
- Lens cover for 6000 series respirators



| Description | SA# |
|--------------------------------|------------|
| Lens Cover sold per pack of 25 | 7000029958 |

Face Shield Cover

- Disposable accessory to protect lenses from scratches, dust and overspray
- Protects investment in respiratory equipment



| Description | SA# |
|-----------------------|------------|
| 3M™ Face shield Cover | 7000002033 |

Organic Vapor Cartridge/Filter

- NIOSH approved for protection against certain organic vapors and particulates
- · Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs



| Description | SA# |
|--------------------------------------|------------|
| 3M™ Organic Vapour Cartridge/Filter, | 7000029639 |
| 60921 | |





Respirators

Organic Vapour/Acid Gas Cartridge/Filter

- NIOSH approved for protection against certain organic vapours, acid gasses and particulates
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M[™] Half and Full Facepiece designs



| Description | SA# |
|-------------|----------|
| ONATNA O | 70000000 |

3M[™] Organic Vapour/Acid Gas Cartridge/ 7000029640 Filter

Multi Gas/Vapour Cartridge/Filter

- NIOSH approved for protection against certain organic vapours, acid gasses, ammonia, methylamine, formaldehyde and particulates
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3MTM Half and Full Facepiece designs

P100

| Description | SA# |
|--|-------|
| 3M™ Multi Gas/Vapour Cartridge/Filter, | 60926 |

Ammonia Methylamine Cartridge

- Ammonia and methylamine cartridge
- Swept-back design for enhanced field of view and balance



| Description | SA# |
|--------------------------------|-----------|
| Cartridge, Ammonia Methylamine | 700001937 |

Organic Vapor Cartridge 6001

- NIOSH approved for protection against certain organic vapors
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs



| Description | SA# |
|--|------------|
| 3M [™] Organic Vapour Cartridge, 6001 | 7000051851 |

Organic Vapor/ Acid Gas Cartridge

- NIOSH approved for protection against certain organic vapors or acid

 rases
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs

Gas Cartridge,





- NIOSH approved for protection against certain organic vapors, acid gases, ammonia, methylamine and formaldehyde
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs









Respirators

Particulate Filter

- Exceptional 99.97% filter efficiency meets NIOSH P100-series test criteria
- Versatile protection against many oil and non-oil based particulate contaminants
- Nuisance odor relief for organic vapour levels below the Permissible Exposure Level (PEL)



| Description | SA# |
|--|------------|
| 3M™ Particulate Filter, P100 | 7000029657 |
| 3M™ Particulate Filter 2096 | 7000002048 |
| 3M [™] Particulate Filter, 2091, P100 | AB02091 |

Advanced Particulate Filter 2297

- P100, nuisance organic vapor relief particulate filter
- Easier breathing
- Longer lasting
- Use with 3MTM Reusable Respirators



| Description | | SA# | |
|-------------|----------------------------------|-----------------|--|
| | 3M™ Advanced Particulate Filter, | 7000127451-2297 | |
| | 2297 P100 | | |

Particulate Filter, 7093B

- Full facepieces must be quantitatively fit tested to claim assigned protection factor above 10 in negative pressure mode
- Designed for higher heat applications
- Solid-top-air-inlet design creates a channeled airflow that helps reduce premature loading



| Description | SA# |
|------------------------------|-------|
| 3M™ Particulate Filter, P100 | 7093B |

Particulate Filter, 5N11

- NIOSH approved for environments containing certain non-oil-based particles
- Use on top of 3M[™] Gas and Vapour Cartridges with 3M[™] Retainer 501 when particles are also present
- Use on top of 3M[™] Filter Holder 603 and 3M[™] Retainer 501 to help reduce particulate exposure



| Description | SA# |
|-----------------------------------|------|
| 3M™ Particulate Filter, 5N11, N95 | 5N11 |

Particulate Filter, 5P71

- At least 95% filtration efficiency against solid and liquid aerosols
- Meets the requirements of CSA standard Z94.4
- Filter is suited for environments which have oil or no oil in them



| Description | SA# |
|-----------------------------------|--------|
| 3M™ Particulate Filter, 5P71, P95 | 3M5P71 |

Hydrogen Fluoride Cartridge/Filter

- NIOSH approved and provides the highest level of protection against oil and non-oil based particles
- Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders
- Channeled airflow protects filter for enhanced breathability and longer service life



| Description | SA# |
|------------------------------|------------|
| Filter.Particulate.P100 2/PK | 7000052600 |





Respirators

Filter Retainer 501

- Approved 3M system component
- Designed to hold 3M Particulate Filter 5N11 and 5P71/07194 (AAD) (sold separately)
- Component works with 3M Respirator 5000 Series, 3M Cartridges 6000 Series and 3M™ Filter Adapter 603



| Description | SA# |
|-------------------|--------|
| 3M™ Retainer, 501 | 501-3M |

Respirator Cleaning Wipe

- Moist towelettes clean dirt and perspiration off facepiece respirators
- Individually packaged and sealed to ensure uncompromised sanitary quality
- Disposable, one-time-use for convenience



| Description | SA# |
|------------------------------------|------------|
| 3M™ Respirator Cleaning Wipe, 504, | 7000001938 |
| alcohol-free | |

Qualitative Fit Test Apparatus FT-30, bitter

- Can be used to check face-to-respirator seal on any particulate respirator or gas/vapour respirator with a particulate prefilter
- Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A



| Description | SA# |
|------------------------------------|------------|
| 3M™ Qualitative Fit Test Apparatus | 7000002042 |
| FT-30, bitter | |

Test Hood, FT-14

- Can be used to check face-to-respirator seal on any particulate respirator or gas/vapour respirator with a particulate prefilter
- Used with 3MTM Qualitative Fit Test Apparatus FT-10, and FT-30 and 3MTM Training and Fit Testing Case FT-20



| Description | SA# |
|----------------------|------------|
| 3M™ Test Hood, FT-14 | 7000051788 |

Fit Test Solution, FT-12, sweet

- Designed to help your organization meet OSHA fit testing requirements for respirators
- Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A



| Description | SA# |
|-------------------------------------|------------|
| 3M™ Fit Test Solution, FT-12, sweet | 7100004636 |

Sensitivity Solution FT-31, bitter

- Can be used to check face-to-respirator seal on any particulate respirator or gas/vapour respirator with a particulate prefilter
- Used with the 3MTM Qualitative Fit Test Apparatus FT-30
- Designed to help your organization meet OSHA fit testing requirements for respirators



| Description | SA# |
|--|------------|
| 3M™ Sensitivity Solution FT-31, bitter | 7100004635 |





Respirators

Fit Test Solution FT-32, bitter

 3MTM Fit Test Solution FT-32 meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A



| Description | SA# | |
|-------------------------------------|------------|--|
| 3M™ Fit Test Solution FT-32, bitter | 7100004634 | |

Sensitivity Solution FT-11, Sweet

- Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134
- Can be used to test faceto-respirator seal on any particulate respirator or gas/ vapour respirator with a particulate prefilter

Sensitivity Solution FT-11, Sweet

| Description | SA# |
|-------------------------------|-----|
| particulate prefilter | |
| vapour respirator with a | |
| particulate reopilator or gae | |



- Designed to direct exhaled air away from the nose panel, helping reduce eyewear fogging
- 3MTM Cool FlowTM Valve for cooler, drier comfort



| Description | SA# | |
|---------------------------------------|------------|--|
| 9211+ Flat-Fold Respirator N95 120/Cs | 7100110432 | |

Aura™ Particulate Respirator, 9210+

- Individual packaging and flat fold design
- Designed to direct exhaled air away from the nose panel
- Comfortable braided headbands
- Comfortable, reliable worker protection against non-oil based particles



| Description | SA# |
|---|------------|
| 3M [™] Aura [™] Particulate Respirator, | 7100110559 |
| 9210+, N95 | |

Particulate Respirator, 8210

- NIOSH approved and N95 efficient
- Compatible with a variety of protective eyewear and hearing protection
- Adjustable nose clip reduces potential for eyewear fogging and helps ensure a better seal and fit
- Two-strap design with welded dual point attachment helps provide a secure fit



FT11

| Description | SA# |
|---------------------------------------|------------|
| 3M™ Particulate Respirator, 8210, N95 | 7100006272 |

Particulate Respirator, 8210V

- N95
- 3MTM Cool FlowTM Valve for cooler, drier comfort
- Lightweight, balanced design
- Two-strap design with dual point attachment helps provide a secure fit



| Description | SA# |
|--|------------|
| 3M™ Particulate Respirator, 8210V, N95 | 7000002462 |





Respirators

Particulate Respirator 8271

- Adjustable M nose-clip
- 3MTM CoolFlowTM Valve helps keep you cool
- · Comfortable foam faceseal and braided headbands
- NIOSH approved P95



| Description | SA# |
|---|------------|
| 3M [™] Particulate Respirator, 8271, P95 | 7000002047 |

Particulate Respirator 8200

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- · Lightweight, disposable particulate respirator is an economical choice for respiratory protection
- Adjustable noseclip helps provide a custom and secure seal



Particulate Welding Respirator, 8212

- NIOSH approved and N95 efficient
- 3M™ Cool Flow™ Valve for cooler, drier comfort
- · Comfortable foam face seal
- Cake-resistant filter media



| Description SA# | | Description | SA# | |
|-----------------------------------|------------|--|------------|--|
| 3M™ Particulate Respirator, 8200, | 7000052787 | 3M [™] Particulate Welding Respirator, 8212, N95 | 7000002027 | |

Particulate Respirator, 8247, R95

- R95 approved filtering facepiece particulate respirator
- · Carbon filter for relief against nuisance levels of organic vapours
- · Collapse resistant shell for increased durability
- Compatible with a variety of protective eyewear and hearing protection



| Description | SA# |
|---|------------|
| 3M [™] Particulate Respirator, 8247, R95 | 7000002060 |

Particulate Respirator, 8233, N100

- N100 Approved, NIOSH's highest rated filtration efficiency in a disposable respirator
- 3MTM Cool FlowTM Valve for cooler, drier comfort
- · Comfortable foam face seal
- · Compatible with a variety of protective eyewear and hearing protection



| Description | SA# | |
|---------------------------------------|------------|--|
| 3MTM Particulate Respirator 8233 N100 | 7000002028 | |

Particulate Respirator, 8293, P100

- P100 approved, NIOSH's highest rated filtration efficiency in a filtering facepiece respirator
- 3M™ Cool Flow™ Valve for cooler, drier comfort
- Comfortable foam face seal
- Individually packaged



| Description | SA# |
|-----------------------------------|------------|
| 3M™ Particulate Respirator, 8293, | 7000002055 |
| P100 | |





Respirators

Particulate Respirator, 8110S, N95, small

- NIOSH approved and N95 efficient
- Adjustable nose clip helps provide a custom fit and secure seal
- Compatible with a variety of protective eyewear and hearing protection
- Two-strap design with dual point attachment helps provide a secure fit



| 7 | AWARNING | 7 |
|-----|------------|--|
| - D | 200 91 105 | and the same of th |

| Description | SA# | |
|------------------------------------|------------|--|
| 3M™ Particulate Respirator, 8110S, | 7000052065 | |
| N95, small | | |

Particulate Respirator, 8214, N95

- NIOSH approved and N95 efficient
- 3M™ Cool Flow™ Valve for cooler, drier comfort
- · Comfortable foam face seal
- · Cake-resistant filter media



| Description | SA# | |
|---------------------------------------|------|--|
| 3M™ Particulate Respirator, 8214, N95 | 8214 | |

Particulate Respirator, 8240, R95

- NIOSH Approved R95
- · Collapse resistant shell
- Compatible with a variety of protective evewear and hearing protection
- · Adjustable nose clip helps provide a custom fit and secure seal



| Description | SA# | |
|---------------------------------------|------------|--|
| 3M™ Particulate Respirator, 8240, R95 | 7000126306 | |

Particulate Respirator 8511

- · NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- 3MTM Cool FlowTM Exhalation Valve helps reduce heat build-up inside the respirator
- M-Noseclip adjusts easily for fewer pressure points and greater comfort.



Particulate Respirator, 8577, P95

- · Lightweight, balanced design
- Disposable
- P95 approved filtering facepiece particulate respirator
- · Soft inner materials



| Description | SA# |
|---------------------------------------|------------|
| 3M™ Particulate Respirator, 8577, P95 | 7000002062 |

Particulate Respirator 8576, P95, with Nuisance Level Acid Gas Relief

- NIOSH approved P95 for at least 95% filtration efficiency against certain oil and nonoil based particles
- Carbon filter material helps provide relief against nuisance levels of acid gases
- 3M™ Cool Flow™ Exhalation Valve







Respirators

Particulate Welding Respirator, 8515

- N95 Approved for certain non-oil based particles
- Economical filtering facepiece particulate welding respirator
- 3M[™] Cool Flow[™] Valve for cooler, drier comfort
- Soft inner materials



| Description | SA# |
|-------------------------------------|------|
| 3M™ Particulate Welding Respirator, | 8515 |
| 8515, N95 | |



SOURCE ATLANTIC HAS YOU COVERED FROM HEAD TO TOE!

We offer a variety of protective equipment: from hard hats to safety eyewear to protective clothing – all designed to ensure you stay safe on the job.

FACE PROTECTION

We have glasses, goggles, and face shields available in many styles and functionalities to not only ensure long-term health of vour team but also optimal visibility on the iob site.



SAFETY HELMETS

Source Atlantic has a variety of head gear: from light industrial use to heavy duty helmets - we've got you covered with Type 1, Type 2, and Electrical product.

RESPIRATORY PROTECTION

Protect yourself from harmful particulates, gases, and vapors with Source Atlantic's extensive line of supply air systems and SCBA's.



HIGH VIS CLOTHING

Source Atlantic carries high-visibility vest, shirts, and pants in Class 1, 2, and 3 of the CSA standards.

HAND PROTECTION

From thin mil and general purpose to cut and chemical resistance, we stock a large variety of industrial gloves and hand protection for any environment.



Can't Find What You're Looking For?

Let us source your product for you!



SOURCE ATLANTIC

www.sourceatlantic.ca

We also carry a wide variety of:



EAR PROTECTION

Source Atlantic has a variety of disposable and reusable plugs as well as hi-tech ear coverage. Not sure which product is best for your work environment? Ask about our ear fit validation!



SAFETY HARNESSES

Harnesses, lanyards, self-retracting lifelines and rescue winches - Source Atlantic offers a full range of fall protection equipment.



SAFETY BOOTS

Wearing the right footwear is essential to ensure your safety and performance: Source Atlantic offers a large selection of work wear and rubber boots to ensure complete safety and comfort.



PROTECTIVE CLOTHING

Our Fire Resistant, Arc Flash and Chemical apparel is designed to meet industry safety standards and protect you against many potentially dangerous hazards of everyday work.



OUTDOOR WEAR

Protect yourself in the field and in other harsh environments - we carry an extensive line of heavy duty and general products from rain suits to iackets to overalls.



WELDING PROTECTION

Protect your environment as well as your body: we have a wide selection of filtration and dust removal systems as well as eye, face, hand, and body protection for all things welding.