



ProLock™ **SCALABLE LOCKER SOLUTIONS**

This access-controlled, flexible locker solution allows you to manage the distribution of both consumable items and valuable assets such as returnable hand tools and power tools. The ProLock™ includes 24 or 12 individual lockers with configurable shelves so it can easily be customized on site. The ProLock™ allows for different combinations of locker sizes to expand for larger items, including the ability to control access to specific lockers.

The ProLock™ is a scalable solution that allows you to:

- Improve operational efficiencies
- Manage serial IDs, kits, and expendables
- Monitor calibrated items and schedules




ProLock™ **CONFIGURATIONS**

The ProLock™ locker solution is available in 24 and 12 door models. The ProLock™ is field configurable by simply linking the doors of each locker together and removing the shelves. It has the capability to lock multiple doors at once. The ProLock™ can be the primary or auxiliary unit.

Linked Locker Dimensions

Locker	1	2	3
Height (in)	6.38	12.25	18.375
Each locker is 11" in width and 28.25" in depth Optional locker combinations are available Maximum locker capacity 70 lbs			



Locker doors are linked by overlapping brackets

Accessories

- Accessible power strip with 24 outlets allowing for a charging station within a ProLock™
- LED lights for enhanced visibility

331 Chesley Drive, Saint John, NB E2K 5P2

SA

ProLock™ **ISSUE PROCESS**



As in all Source Atlantic storage devices, the returning process of the ProLock™ is simple: **Authenticate, Select, Issue, Record.**

1. **Authenticate:** The user self-authenticates with an employee badge or other optional login methods and enters user-defined cost centers if required.
2. **Select:** Through the touchscreen interface, the user selects the item from the item image screen or item description displayed.
3. **Issue:** After selecting the issue function, the locker door opens, the user removes the item, and the database is automatically adjusted.
4. **Record:** The software records the transaction and the database is updated.

SOFTWARE FUNCTIONS

CribMaster Software

- Item/group level access
- ERP integration
- User-defined cost centers
- Track real-time data
- Manage calibrated items

Point-of-Use Interface (ATR)

- User specific multi-language support
- Favorite items list by employees
- Vend by item images



SUGGESTED PRODUCT TYPES

The ProLock™ is ideal for storage of durable inventory such as:

- Power tools
- Hand tools
- Gauges



**SOURCE
ATLANTIC**

331 Chesley Drive, Saint John, NB E2K 5P2

1-888-846-7637
www.sourceatlantic.ca



ProLock™ **SPECS**

Main Exterior Dimensions		
Height	83 in	210.82 cm
Width	34.25 in	86.995 cm
Depth	36.625 in	93.027 cm
Auxiliary Exterior Dimensions		
Height	83 in	210.82 cm
Width	29.875 in	73.342 cm
Depth	32 in	81.280 cm
Weight		
Main	515 lbs	233 kg
Auxiliary	465 lbs	210 kg
Shipping	550 lbs	249 kg
Power Requirements		
Amps	3	3 (EU)
Voltage	120	220 (EU)
Operating Environment		
Temperature	-4°F to 140°F (-20°C to 60°C)	
Humidity	20% to 85% (no condensation)	
Technical Info		
CE compliant	Windows OS	



**SOURCE
ATLANTIC**

331 Chesley Drive, Saint John, NB E2K 5P2

1-888-846-7637
www.sourceatlantic.ca