



ProStock™ **SMALL FOOTPRINT, HIGH CAPACITY STORAGE**

With the high-security dispensing of the ProStock™, you can manage the distribution of hundreds of items at the point of use, all within a very small footprint. Carousel dispensing provides the flexibility to issue one or multiple items while eliminating the unproductive time of walking to and from a tool crib. The pie-shaped sections of the carousel allow for easy configuration of multiple-sized items such as safety supplies, cutting tools, gauges, and batteries. Paired with CribMaster software, the ProStock reduces stock outs, lowers costs, and controls inventory consumption. This system includes all of the robust features of CribMaster and the ability to share detailed information with your workforce automatically.

- Manage tools due for service
- High security for controlled consumption
- Simple carousel reconfiguration for flexible storage
- Dispense single items or kitted items
- Optional lockers for large item storage



**SOURCE
ATLANTIC**

331 Chesley Drive, Saint John, NB E2K 5P2


1-888-846-7637
www.sourceatlantic.ca



ProStock™ CAROUSEL CONFIGURATIONS



Usable Carousel Bin Dimensions										
Section divide	1	2	3	4	5	6	7	8	9	10
Front width (cm)	3.05	6.10	9.14	12.19	15.24	18.29	21.34	24.38	27.43	30.48
Back width (cm)	0	0.48	0.97	1.42	1.91	2.39	2.87	3.35	3.84	4.32
Each section divide depth is 24.384 cm and height is 12.065 cm Carousels are field-configurable Maximum carousel capacity 15.875733 kg										




Up to 10 door openings
56 usable carousel bins

The standard ProStock™ includes 10 carousels. Each carousel is field-configurable for custom layout bin dimensions. Optional pop-open lockers may be substituted for carousels. The ProStock can be paired with any traditional vending solution and can function as a main or auxiliary unit.

Locker Configurations

Usable Locker Bin Dimensions				
Locker	1 Door	2 Door	3 Door	6 Door
Depth (cm)	71.12	71.12	71.12	71.12
Height (cm)	10.16	10.16	10.16	10.16
Width (cm)	59.69	27.94	19.05	8.89
One locker configuration replaces one carousel Maximum locker capacity 45.359237 kg				



1 Door



2 Door



3 Door



6 Door

331 Chesley Drive, Saint John, NB E2K 5P2



***ProStock*[™]** **ISSUE PROCESS**



As in all CribMaster storage devices, the ProStock[™] is simple to use.

1. Authenticate: The user self-authenticates with an employee badge or other optional login methods and enters user-defined cost centers if required.
2. Select: Through the touchscreen interface, the user selects the item(s) from the item image screen or item description displayed.
3. Issue: The user selects the issue function and removes the dispensed item(s) from the opened carousel section.
4. Record: The software records the transaction and the database is updated.

SOFTWARE FUNCTIONS

CribMaster Software

- Item/group level access
- ERP integration
- User-defined cost centers
- Track real-time data
- Issue by kits

Point-of-Use Interface (ATR)

- User specific multi-language support
- Favorite items list by employees
- Vend by item images



SUGGESTED PRODUCT TYPES

The ProStock[™] is tailored to dispense MRO, PPE, durables, and cutting tools, such as:

- Gloves
- Inserts, taps, and dies
- Batteries
- Safety glasses
- Aerosols
- Power tools
- Hand tools



ProStock[™] **SPECS**



Main Exterior Dimensions		
Height	83 in	210.82 cm
Width	34.25 in	86.995 cm
Depth	37.375 in	94.932 cm
Auxiliary Exterior Dimensions		
Height	83 in	210.82 cm
Width	29.875 in	75.882 cm
Depth	31.5 in	80.01 cm
Weight		
Main	885 lbs	401 kg
Auxiliary	835 lbs	378 kg
Shipping weight	950 lbs	430 kg
Power Requirements		
Amps	3	3 (EU)
Voltage	120	220 (EU)
Operating Environment		
Temperature	32°F to 95°F (0°C to 35°C)	
Humidity	10% to 90% (no condensation)	
Technical Info		
CE compliant	Windows OS	



**SOURCE
ATLANTIC**

331 Chesley Drive, Saint John, NB E2K 5P2

1-888-846-7637
www.sourceatlantic.ca