

# METALWORKING

DOOSAN DVF 5000

## **DVF 5000 W/AWC**



The DVF 5000 is designed for machining complex work pieces with high precision and speed. Superior performance from the 18,000-rpm spindle paired with the travelling column machine structure provides a high productivity machine for even the most demanding processes.



-----

Automatic Workpiece Changer is a cost effective solution providing multiple pallets for longer periods of unmanned operation or reduced set-up times when producing many different work pieces in low lot sizes.

- 5 simultaneously controlled axes (X, Y, Z, B, C) with high precision, absolute rotary encoders on B and C axes and absolute glass scales on XYZ axes
- Fast rapid traverse rate (X 40m/min \ 1575ipm, Y 40m/min \ 1575ipm, Z – 40m/min \ 1575ipm)
- Renishaw probe-ready
- Doosan Tool Load Monitoring and Adaptive Feedrate Control
- Spindle orientation, load meter, override and rigid tapping
- High precision, built in spindle design with (18.5/22kW \ 24.8/29.5 hp motor, 18,000rpm)

DOOSAN MACHINE TOOLS AMERICA CNC MACHINE TOOLS

www.sourceatlantic.ca/metalworking

## PUMA TT2100SYY



These multi-task turning centers are designed for long-term accuracy and superior surface finishes. Minimze non-cutting time with high speed turret indexing and fast rapid traverse rates! Same-size spindle motors on both spindles provide improved performance and flexibility. Great for just-in-time production requirements with incredible multi-tasking capabilities.







- 5,000rpm 25kW (35 hp) spindle motors
- Two servo controlled, bi-directional 12 station turrets with 24 position indexing with rigid base mounted tooling (BMT) system
- Rigid one piece massive casting 45 degree torque tube slant bed design
- Right spindle can be synchronized with left spindle
- 5,000 rpm 10 hp rotating tool spindle motor; live tools can be mounted on all stations
- Y-axis upper and lower turret with 3.93" (+/- 1.96") total travel
- Automatic tool setter
- Automated meter lubrication system

#### R650X1

This machine demonstrates high productivity, and provides the largest machining area among QT table machines – enabling the mounting of large jogs that was not possible on conventional machines.

- 3.4s pallet change time
- 650 mm X-axis travel allows for large workpiece machining or multiple parts machining
- Increased table size and turning diameter for mounting of large jigs
  Turning Diameter: 1,250mm
  - Jig Height: 350mm
  - Work Area Size (One Face): 800x400mm
- Easily perform workpiece change or tool change with operation from both the side and the front
- High acceleration spindle: Spindle Start/Stop Time: 0.15s
- Simultaneous operation function QT table turns and the X/Y-additional axes are positioned simultaneously when tools are changed; Wasted time = zero!





brother

Compact Machining Center





#### The heavyweight of mid-size lathes



- Clutched headstock for more precise control and long lasting reliability
- All cast iron construction provides solid foundation for vibration absorption and rigidity
- Rapid traverse on carriage (4 way joystick)
- 2-speed tailstock for faster setups
- Easy to operate with pinpoint accuracy for a fine finish
- Bulk and horsepower to take on the heaviest chip loads
- Quick-change gearbox for cutting inch, metric, module and diametrical pitch threads
- Greater radial and thrust capacity with the oversized spindle and 3" thru hole
- Hardened and ground alloy steel gears, shafts and splines for smooth performance and longevity
- European built and CE certified







#### **VS-350B**



V-Series vertical mills are engineered and manufactured from the finest components – all controls are centralized for ease of operation in either hand or power feed mode.

- Three horsepower model with standard variable speed
- Heavy Meehanite cast construction
- Double table locks
- Way wipers for saddle and column
- Tilting and rotating head
- Heavy box saddle
- Low voltage controls
- Variable speed head
- Turcite-B inserted guideways for extended machine life





#### **MB10**

Economical, semi-synthetic fluid that is free of chlorine and formaldehyde-releasing agent

- Effective wetting properties maintains clean machines and components
- Stable fluid suitable for wide range of water conditions
- Inhibits micro bacterial growth to extend fluid life in central systems and individual sumps
- · Low foaming
- Formaldehyde releasing agent free to comply with health and safety regulations
- Available in Pail, Drum, and Liquibin

**Recommended Concentrations** 

- Grinding: 5 6%
- • General Machining: 6 10%





#### **HD PLASMA TABLE**

#### The next generation of high precision plasma cutting that works the way you do... intelligently.

- Available in 100-400 Amp outputs for cutting plate up to 2" (50mm) thick
- Excellent dross-free cuts using oxygen (02) plasma on mild steel
- Unmatched cut quality on non-ferrous metals using unique Water Mist Secondary (WMS) process
- Highest kW output for maximized duty cycle and cut speed
- Reduced downtime during parts changes with the Speedlok cartridge design
- Minimal heat affected zone (HAZ) to improve welding quality
- 3DPro technology sets the new standard in robotic cutting thin gauge material



B-CU>

## **DOOCELL M20 4 DRAWER**

The DooCell is a modular robot cell that automatically loads and unloads parts from three Doosan machines. Perfect for small-tomedium size shops who are ready for unmanned operation

- Can accommodate up to three Doosan machines and has a special three-to-six part drawer for storing raw materials or finished parts
- Small footprint for rapid installation and limited floor space
- · Each drawer holds up to 180 pounds of parts
- All drawers are accessible outside the cell to avoid stopping the machine cycle







PUMA TW2600M-GL

## DOOSAN





Designed for high-speed, high accuracy use in a production environment. Two spindles within easy reach of one operator, fast turret indexing, and rapid traverse rates minimize non-cutting time.

## DOOSAN MACHINE TOOLS AMERICA CNC MACHINE TOOLS

- Simultaneously machine two parts or Side A Side B production
- · Heavy duty Meehanite cast iron bed to minimize vibration
- Large, wrap-around box way construction
- 10-station heavy duty servo controlled turret .16 second turret swivel
- Powerful 25 hp high speed-high torque spindle motor
- Large 14.17" max. turning diameter and 6.69" max. turning length
- · Full contouring C-Axis
- 10 hp rotating tool spindle motor
- 5,000 rpm rotary tool speed
- Compact design for minimal floor space

www.sourceatlantic.ca/metalworking

## **M-20iD ROBOT**

Slim and strong material handling robot for multi-purpose medium payloads – incorporate the benefits of a hollow upper arm without compromising performance.

- Dressout issues like snagging, tearing, and rubbing are a thing of the past with all utilities contained neatly within the arm
- Ideal for multi-material handling
- Suited for narrow cells with slim arm, wrist, and compact footprint
- Internal cable routing to avoid cable interference
- Fast pick-and-place cycle to increase throughput on payloads of up to 35 kg
- 6 axes, 1831 mm reach







## **Branch Locations**

Calgary 44-8009 57 Street SE 403.203.0289

#### Edmonton

5431 99th Street NW 780.435.3737 Regina 841 Roulston Street 306.721.6442

**Saskatoon** B-3069 Faithful Ave 306.653.7788 Winnipeg 169 Omands Creek Blvd 204.632.4092





## **ENHANCE PRODUCTIVITY WITH HIGH PRECISION SOLUTIONS FROM SOURCE ATLANTIC**

### **Meet the Team**

#### **Connect with a Specialist! cncmachines@sourceatlantic.ca**

#### Alberta



Scott Jensen Cutting Tools Manager



Phil Lounsbury Machining Specialist Southern Alberta

#### Steve Greenslade Machining Specialist

#### Manitoba & Saskatchewan



Ron Myall Machining Manager



Jeff Bilvk Cutting Tools Technical Specialist, Saskatchewan



Doug Criss Cutting Tools Technical Specialist, Northern Alberta



Northern Alberta



Mark Perry Machining Specialist Manitoba and Saskatchewan



Chris Myall Cutting Tools Technical Specialist, Manitoba



**HEAD OFFICE** 331 Chesley Drive, Saint John, NB E2K 5P2

A

B

R

Δ



F

S

METALWORKINGEQUIPMENT& TOOLING CARBIDECUTTINGTOOLSFLUIDS&LUBRICANTS FASTENERSABRASIVESSAFETYAPPAREL&SUPPLIES MATERIALHANDLINGINVENTORYSOLUTIONS

 $\cap$ 

N

S

P

P